

ISSN 2664-9969

TECHNOLOGY AUDIT AND PRODUCTION RESERVES



№ 3/1 (83),
2025

Editorial board

Editor-in-Chief

Nagano Marcelo, Professor, University of Sao Paulo, Brazil

Deputy Editor-in-Chief

Dudnikov Igor, Professor, Poltava State Agrarian University, Ukraine

Executive Editor of Technical Sciences

Yusaf Talal, Professor, University of Southern Queensland, Australia

Executive Editor of Economic Sciences

Bachev Hrabrin, Professor, Institute of Agricultural Economics Sofia, Bulgaria

Assistant Editor

Bilovod Oleksandra, Associate Professor, Poltava State Agrarian University, Ukraine

Mechanical Engineering

Akimov Oleg, Professor, National Technical University "Kharkiv Polytechnic Institute", Ukraine; **Bilovod Oleksandra**, Associate Professor, Poltava State Agrarian University, Ukraine; **Dudnikov Igor**, Professor, Poltava State Agrarian University, Ukraine; **Hondliakh Oleksandr**, Professor, National Technical University of Ukraine "Ihor Sikorsky Kyiv Polytechnic Institute", Ukraine; **Goryk Oleksii**, Professor, Poltava State Agrarian University, Ukraine; **Konstantinidis Avraam**, Associate Professor, Aristotle University of Thessaloniki, Greece; **Kindrachuk Myroslav**, Professor, National Aviation University, Corresponding Member of the National Academy of Sciences of Ukraine, Kyiv, Ukraine; **Krutikov Gennadij**, Professor, National Technical University "Kharkiv Polytechnic Institute", Ukraine; **Permyakov Aleksander**, Professor, National Technical University "Kharkiv Polytechnic Institute", Ukraine; **Petrakov Yuri**, Professor, National Technical University of Ukraine "Kyiv Polytechnic Institute", Ukraine; **Rao Ravipudi Venkata**, Professor, Sardar Vallabhbhai National Institute of Technology, Surat, India; **Sampathkumaran Parthasarathy S.**, Professor, Sambhram Institution of Technology, India; **Sheychenko Viktor**, Professor, Poltava State Agrarian University, Ukraine; **Susanto Iwan**, PhD, National Dong Hwa University, Indonesia; **Tee Kong Fah**, PhD, King Fahd University of Petroleum and Minerals, Kingdom of Saudi Arabia; **Veliev Fazil**, Professor, Azerbaijan State University of Economics, Azerbaijan; **Vodennikov Sergii**, Professor, Zaporizhzhia Polytechnic National University, Ukraine; **Zhou Ling**, Professor, National Research Center of Pumps, Jiangsu University, China

Energy

Arıcı Müslüm, Professor, Kocaeli University, Turkey; **Artemenko Sergiy**, Professor, Odessa National Academy of Food Technologies, Ukraine; **Borts Boris**, Senior Researcher, National Science Center, Kharkiv Institute of Physics and Technology, Ukraine; **Chigirinsky Valeriy**, Professor, Rudny Industrial University, Republic of Kazakhstan; **Hussein Ahmed Kadhim**, Professor, University of Babylon, Iraq; **Kritska Tetyana**, Professor, Zaporizhzhia National University, Ukraine; **Kravchenko Volodymyr**, Professor, Odesa Polytechnic National University, Ukraine; **Liashok Iaroslav**, Professor, Donetsk National Technical University, Ukraine; **Lubkov Michail**, Professor, Poltava Gravimetric Observatory within S. I. Subbotin Institute of Geophysics of National Academy of Sciences of Ukraine; **Lungu Mihai**, Professor, University of Craiova, Romania; **Niu Yanqing**, Professor, Xi'an Jiaotong University, China; **Perekrest Andrii**, Professor, Kremenchuk Mykhailo Ostrohradskyi National University, Ukraine; **Potapov Volodymyr**, Professor, State Biotechnological University, Ukraine; **Tuz Valery**, Professor, National Technical University of Ukraine "Ihor Sikorsky Kyiv Polytechnic Institute", Ukraine; **Sinchuk Oleg**, Professor, Kryvyi Rih National University, Ukraine; **Syafei M. Hilman Gumelar**, Universitas Negeri Semarang, Semarang, Indonesia; **Volianskyi Roman**, Associate Professor, National Technical University of Ukraine "Ihor Sikorsky Kyiv Polytechnic Institute", Ukraine; **Yusaf Talal**, Professor, University of Southern Queensland, Australia

Information and Control Systems

Antomarioni Sara, Assistant Professor, Universita Politecnica delle Marche, Italy; **Ayag Zeki**, Professor, Piri Reis University, Turkey; **Biloshchytskyi Andrii**, Professor, Taras Shevchenko National University of Kyiv, Ukraine; Astana IT University, Republic of Kazakhstan; **Bugayko Dmytro**, Professor, National Aviation University, Ukraine; **Bushuyev Sergey**, Professor, Kyiv National University of Construction and Architecture, Ukraine; **Daneshmand Morteza**, PhD, Norwegian Institute of Bioeconomy Research, Norway; **Dovbysh Anatoly**, Professor, Sumy State University, Ukraine; **Filonenko Sergii**, Professor, National Aviation University, Kyiv, Ukraine; **Frias Alexander**, PhD, York University, Canada; **Iklassova Kainizhamal**, Associate Professor, M. Kozybayev North Kazakhstan University, Republic of Kazakhstan; **Jorgensen Palle**, Professor, University of Iowa, United States; **Lakhno Valeriy**, Professor, National University of Life and Environmental Sciences of Ukraine; **Lutsenko Igor**, Professor, Kremenchuk Mykhailo Ostrohradskyi National University, Ukraine; **Lytvyn Vasyi**, Professor, Lviv Polytechnic National University, Ukraine; **Narayan Mishra Lakshmi**, Assistant Professor, Vellore Institute of Technology, India; **Mishra Narayan Vishnu**, Professor, Indira Gandhi National Tribal University, Amarkantak, India; **Mykhalevskyi Dmytro**, Professor, Vinnytsia National Technical University, Ukraine; **Nagano Marcelo**, Professor, University of Sao Paulo, Brazil; **Sabry Ahmad H.**, PhD, Shatt Al-Arab University College, Basra, Iraq; **Samsonkin Valerii**, Professor, State University of Infrastructure and Technologies, Ukraine; **Serediuk Orest**, Professor, Ivano-Frankivsk National Technical University of Oil and Gas, Ukraine; **Sotnikov Oleksandr**, Professor, Ivan Kozhedub Kharkiv National Air Force University, Ukraine; **Teslyuk Vasyi**, Professor, Lviv Polytechnic National University, Ukraine; **Tunc Cemil**, Professor, Van Yuzuncu Yil University, Turkey; **Tykhonov Ilyia**, Professor, State University of Infrastructure and Technologies, Ukraine; **Turovsky Oleksandr**, Professor, State University of Information and Communication Technologies, Ukraine

Chemical Engineering

Aifantis Katerina, Associate Professor, University of Florida, United States; **Arisekar Ulaganathan**, PhD, Tamil Nadu Dr. J. Jayalalithaa Fisheries University, Nagapattinam, India; **Batalha Gilmar Ferreira**, Associate Professor, University of Sao Paulo, Brazil; **Bilyk Olena**, Professor, National University of Food Technologies, Kyiv, Ukraine; **Bliznjuk Olga**, Professor, National Technical University "Kharkiv Polytechnic Institute", Ukraine; **Elnashar Elsayed Ahmed**, Professor, Kafrelsheikh University, Egypt; **Elustondo Diego**, Scion (New Zealand Forest Research Institute Limited), Rotorua, New Zealand; **Fedorenko Olena**, Professor, National Technical University "Kharkiv Polytechnic Institute", Ukraine; **Gorobets Svitlana**, Professor, National Technical University of Ukraine "Ihor Sikorsky Kyiv Polytechnic Institute", Ukraine; **Kosulina Natalia**, Professor, State Biotechnological University, Ukraine; **Kozar Oksana**, Professor, Mukachevo State University, Ukraine; **Mandryk Oleg**, Professor, Ivano-Frankivsk National Technical University of Oil and Gas, Ukraine; **Marynin Andrii**, Senior Researcher, National University of Food Technologies, Kyiv, Ukraine; **Paska Maria**, Professor, Lviv State University of Physical Culture named after I. Bobersky, Ukraine; **Permana Sulaksana**, Dr. Eng., Universitas Indonesia (Alumni), Indonesia; **Priss Olesia**, Professor, Dmytro Motornyi Tavria State Agrotechnological University, Ukraine; **Redko Yana**, Professor, Kyiv National University of Technologies and Design, Ukraine; **Sklabinskyi Vsevolod**, Professor, Sumy State University, Ukraine; **Sviderskiy Valentin**, Professor, National Technical University of Ukraine "Ihor Sikorsky Kyiv Polytechnic Institute", Ukraine; **Tarfaoui Mostapha**, Professor, Ecole Nationale Supérieure de Techniques Avancées Bretagne, France; **Tazhibayeva Sagdat**, Professor, Al-Farabi Kazakh National University, Republic of Kazakhstan; **Tlevlessova Dinara**, PhD, Kazakh Scientific Research Institute of Processing and Food Industry LLP, Republic of Kazakhstan; **Vambol Sergij**, Professor, National Technical University "Kharkiv Polytechnic Institute", Ukraine; **Yikmiş Seydi**, PhD, Tekirdag Namik Kemal University, Turkey; **Zhang Jin**, Associate Professor, Harbin Institute of Technology, Shenzhen, China

Economics

Ab. Aziz Kamarulzaman, Professor, Multimedia University, Cyberjaya, Selangor, Malaysia; **Altae Hatem**, Professor, Cihan University of Slemani, Iraq; **Andriushchenko Kateryna**, Professor, SHEE "Kyiv National Economic University named after Vadym Hetman", Ukraine; **Bachev Hrabrin**, Professor, Institute of Agricultural Economics Sofia, Bulgaria; **Bernat Tomasz**, Professor, University of Szczecin, Poland; **Bostan Ionel**, Professor, Stefan cel Mare University of Suceava, Romania; **Britchenko Igor**, Professor, University of Security Management in Košice, Slovakia; **Dalei Narendra**, Associate Professor, Central University of Himachal Pradesh, Dehra Gopipur, India; **Ejaz Abdullah**, PhD, MacEwan University, Canada; **Grigorescu Adriana**, Professor, National University of Political Studies and Public Administration, Correspondent Member, Academy of Romanian Scientists, Bucharest, Romania; **Hrabovskiy Yevhen**, Associate Professor, Simon Kuznets Kharkiv National University of Economics, Ukraine; **Izdebski Waldemar**, Professor, University of Warsaw, Poland; **Kocziszky Gyorgy**, Professor, University of Miskolc, Hungary; **Lodhi Rab Nawaz**, Associate Professor, University of the Punjab, Lahore, Pakistan; **Lozynska Tamara**, Professor, Poltava State Agrarian University, Ukraine; **Makarenko Petro**, Professor, Poltava State Agrarian University, Ukraine; **Makedon Viacheslav**, Professor, Oles Honchar Dnipro National University, Ukraine; **Micera Roberto**, PhD, University of Basilicata, Italy; **Nowacki Robert**, Assistant Professor, University of Economics and Human Sciences in Warsaw, Poland; **Odularu Gbadebo Olusegun Abidemi**, Professor, Bay Atlantic University, United States; **Onyshchenko Svitlana**, Professor, Odessa National Maritime University, Ukraine; **Otenko Iryna**, Professor, Simon Kuznets Kharkiv National University of Economics, Ukraine; **Pererva Petro**, Professor, National Technical University "Kharkiv Polytechnic Institute", Ukraine; **Poberezhna Zarina**, Professor, National Aviation University, Kyiv, Ukraine; **Postan Mykhaylo**, Professor, Odessa National Maritime University, Ukraine; **Pushkar Oleksandr**, Professor, Simon Kuznets Kharkiv National University of Economics, Ukraine; **Pysarenko Volodymyr**, Professor, Poltava State Agrarian University, Ukraine; **Seitz Juergen**, Professor, Baden-Wuerttemberg Cooperative State University Heidenheim, Germany; **Skibniewski Mirosław**, Professor, University of Maryland, United States; **Shachmurove Yochanan**, Professor, The City College of New York, United States; **Staniewski Marcin Waldemar**, Adjunct Professor, University of Economics and Human Sciences in Warsaw, Poland; **Tiron-Tudor Adriana**, Professor, Babes-Bolyai University, Cluj-Napoca, Romania; **Zakharchyn Galyna**, Professor, Lviv Polytechnic National University, Ukraine; **Zhovnovach Ruslana**, Professor, Central Ukrainian National Technical University, Ukraine

International Abstracting and Indexing:

- ✓ Scopus
- ✓ EBSCO
- ✓ FSTA
- ✓ IDEAS
- ✓ WorldCat
- ✓ OpenAIRE
- ✓ Crossref
- ✓ ERIH PLUS
- ✓ BASE
- ✓ CNKI
- ✓ EconBiz
- ✓ EconPapers
- ✓ MIAR
- ✓ Scilit
- ✓ Neliti

Publisher

TECHNOLOGY CENTER PC*

Establishers

TECHNOLOGY CENTER PC*
Poltava State Agrarian University

Editorial

TECHNOLOGY CENTER GROUP LTD

Published since 2011

Media ID in the Register of Media Entities R30-01128

Certificated by

Order of the MES of Ukraine
No. 612 from 07.05.2019 (Category B)

Editorial office and publishing house addresses

Shatilova dacha st., 4, Kharkiv, Ukraine, 61165
<https://tarp.net.ua/>, <https://journals.urau.ua/tarp/>

Tel.: +380 (57) 7508990

E-mail: tapr@entc.com.ua, tarp.nauka@gmail.com

Conventional printed sheet 13.00. Publisher's signature 12.09
Format 60×84 1/8

Редакційна колегія

Головний редактор

Nagano Marcelo, Professor, University of Sao Paulo, Brazil

Заступник головного редактора

Дудніков Ігор Анатолійович, к. т. н., професор, Полтавський державний аграрний університет

Відповідальний редактор з технічних наук

Yusaf Talal, Professor, University of Southern Queensland, Australia

Відповідальний редактор з економічних наук

Bachev Hrabrin, Professor, Institute of Agricultural Economics Sofia, Bulgaria

Відповідальний секретар

Біловод Олександра Іванівна, к. т. н., доцент, Полтавський державний аграрний університет

Машинобудування

Акімов Олег Вікторович, д. т. н., проф., Національний технічний університет «Харківський політехнічний інститут»; **Біловод Олександра Іванівна**, к. т. н., доц., Полтавський державний аграрний університет; **Дудніков Ігор Анатолійович**, к. т. н., проф., Полтавський державний аграрний університет; **Гондях Олександр Володимирович**, д. т. н., проф., Національний технічний університет України «Київський політехнічний інститут ім. Ігоря Сікорського»; **Горик Олексій Володимирович**, д. т. н., проф., Полтавський державний аграрний університет; **Konstantinidis Avraam**, Associate Professor, Aristotle University of Thessaloniki, Greece; **Кіндрачук Мирослав Васильович**, д. т. н., проф., Національний авіаційний університет, член-кореспондент НАН України, Київ; **Крутіков Геннадій Анатолійович**, д. т. н., проф., Національний технічний університет «Харківський політехнічний інститут»; **Пермяков Олександр Анатолійович**, д. т. н., проф., Національний технічний університет «Харківський політехнічний інститут»; **Петраков Юрій Володимирович**, д. т. н., проф., Національний технічний університет України «Київський політехнічний інститут ім. Ігоря Сікорського»; **Rao Ravipudi Venkata**, Professor, Sardar Vallabhbhai National Institute of Technology, Surat, India; **Sampathkumaran Parthasarathy S.**, Professor, Sambhram Institution of Technology, India; **Шейченко Віктор Олександрович**, д. т. н., проф., Полтавський державний аграрний університет; **Susanto Iwan**, PhD, National Dong Hwa University, Indonesia; **Tee Kong Fah**, PhD, King Fahd University of Petroleum and Minerals, Kingdom of Saudi Arabia; **Veliev Fazil**, Professor, Azerbaijan State University of Economics, Azerbaijan; **Воденніков Сергій Анатолійович**, д. т. н., проф., Національний університет «Запорізька політехніка»; **Zhou Ling**, Professor, National Research Center of Pumps, Jiangsu University, China

Енергетика

Atıcı Müslüm, Professor, Kocaeli University, Turkey; **Артеменко Сергій Вікторович**, д. т. н., проф., Одеська національна академія харчових технологій; **Борц Борис Вікторович**, д. т. н., стар. наук. спів., Національний науковий центр, Харківський фізико-технічний інститут НАН України; **Chigirinsky Valeriy**, Professor, Rudny Industrial University, Republic of Kazakhstan; **Hussein Ahmed Kadhim**, Professor, University of Babylon, Iraq; **Кравченко Володимир Петрович**, д. т. н., проф., Національний університет «Одеська політехніка»; **Критська Тетяна Володимирівна**, д. т. н., проф., Запорізький національний університет; **Ляшок Ярослав Олександрович**, д. е. н., проф., Донецький національний технічний університет; **Лубков Михайло Валерійович**, д. ф.-м. н., проф., Полтавська гравіметрична обсерваторія Інституту геофізики ім. С. І. Субботіна Національної академії наук України; **Lungu Mihai**, Professor, University of Craiova, Romania; **Niu Yanqing**, Professor, Xi'an Jiaotong University, China; **Перекрест Андрій Леонідович**, д. т. н., проф., Кременчуцький національний університет імені Михайла Остроградського; **Потапов Володимир Олексійович**, д. т. н., проф., Державний біотехнологічний університет; **Туз Валерій Омелянович**, д. т. н., проф., Національний технічний університет України «Київський політехнічний інститут ім. Ігоря Сікорського»; **Сінчук Олег Миколайович**, д. т. н., проф., ДВНЗ «Криворізький національний університет»; **Syafei M. Hilman Gumelar**, Universitas Negeri Semarang, Semarang, Indonesia; **Волянський Роман Сергійович**, к. т. н., доц., Національний технічний університет України «Київський політехнічний інститут ім. Ігоря Сікорського»; **Yusaf Talal**, Professor, University of Southern Queensland, Australia

Інформаційно-керуючі системи

Antomaroni Sara, Assistant Professor, Universita Politecnica delle Marche, Italy; **Ayag Zeki**, Professor, Piri Reis University, Turkey; **Biloshchytskyi Andrii**, Professor, Taras Shevchenko National University of Kyiv, Ukraine; **Astana IT University**, Kazakhstan; **Бутайко Дмитро Олександрович**, д. е. н., проф., Національний авіаційний університет; **Бушуєв Сергій Дмитрович**, д. т. н., проф., Київський національний університет будівництва і архітектури; **Daneshmand Morteza**, PhD, Norwegian Institute of Bioeconomy Research, Norway; **Довбиш Анатолій Степанович**, д. т. н., проф., Сумський державний університет; **Філоненко Сергій Федорович**, д. т. н., проф., Національний авіаційний університет, Київ; **Frias Alexander**, PhD, York University, Canada; **Iklassova Kainizhamal**, Associate Professor, M. Kozybayev North Kazakhstan University, Republic of Kazakhstan; **Jorgensen Palle**, Professor, University of Iowa, United States; **Лахно Валерій Анатолійович**, д. т. н., проф., Національний університет біоресурсів і природокористування України; **Луценко Ігор Анатолійович**, д. т. н., проф., Кременчуцький національний університет ім. М. Остроградського; **Литвин Василь Володимирович**, д. т. н., проф., Національний університет «Львівська політехніка»; **Narayan Mishra Lakshmi**, Assistant Professor, Vellore Institute of Technology, India; **Mishra Narayan Vishnu**, Professor, Indira Gandhi National Tribal University, Amarkantak, India; **Михалевський Дмитро Валерійович**, д. т. н., проф., Вінницький національний технічний університет; **Nagano Marcelo**, Professor, University of Sao Paulo, Brazil; **Sabry Ahmad H.**, PhD, Shatt Al-Arab University College, Basra, Iraq; **Самсонкін Валерій Миколайович**, д. т. н., проф., Державний університет інфраструктури та технологій; **Середюк Орест Євгенович**, д. т. н., проф., Івано-Франківський національний технічний університет нафти і газу; **Сотніков Олександр Михайлович**, д. т. н., проф., Харківський національний університет Повітряних Сил імені Івана Кожедуба; **Теслюк Василь Миколайович**, д. т. н., проф., Національний університет «Львівська політехніка»; **Tunc Cemil**, Professor, Van Yuzuncu Yil University, Turkey; **Тихонов Ілля Валентинович**, д. т. н., стар. наук. спів., Державний університет інфраструктури та технологій; **Туровський Олександр Леонідович**, д. т. н., проф., Державний університет інформаційно-комунікаційних технологій

Хімічна інженерія

Aifantis Katerina, Associate Professor, University of Florida, United States; **Arisekar Ulaganathan**, PhD, Tamil Nadu Dr. J. Jayalalithaa Fisheries University, Nagapattinam, India; **Batalha Gilmar Ferreira**, Associate Professor, University of Sao Paulo, Brazil; **Білик Олена Анатоліївна**, к. т. н., проф., Національний університет харчових технологій, Київ; **Близнюк Ольга Миколаївна**, д. т. н., проф., Національний технічний університет «Харківський політехнічний інститут»; **Elustondo Diego**, Scion (New Zealand Forest Research Institute Limited), Rotorua, New Zealand; **Федоренко Олена Юріївна**, д. т. н., проф., Національний технічний університет «Харківський політехнічний інститут»; **Горобець Світлана Василівна**, д. т. н., проф., Національний технічний університет України «Київський політехнічний інститут ім. Ігоря Сікорського»; **Косуліна Наталія Геннадіївна**, д. т. н., проф., Державний біотехнологічний університет; **Козарь Оксана Петрівна**, д. т. н., проф., Мукачівський державний університет; **Мандрик Олег Миколайович**, д. т. н., проф., Івано-Франківський національний технічний університет нафти і газу; **Маринін Андрій Іванович**, к. т. н., стар. наук. спів., Національний університет харчових технологій, Київ; **Паска Марія Зіновіївна**, д. в. н., проф., Львівський державний університет фізичної культури імені Івана Боберського; **Permana Sulaksana**, Dr. Eng., Universitas Indonesia (Alumni), Indonesia; **Прісс Олеся Петрівна**, д. т. н., проф., Таврійський державний агротехнологічний університет імені Дмитра Моторного; **Редько Яна Володимирівна**, д. т. н., проф., Київський національний університет технологій та дизайну; **Склабінський Всеволод Іванович**, д. т. н., проф., Сумський державний університет; **Свідерський Валентин Анатолійович**, д. т. н., проф., Національний технічний університет України «Київський політехнічний інститут ім. Ігоря Сікорського»; **Tarfaoui Mostapha**, Professor, Ecole Nationale Supérieure de Techniques Avancées Bretagne, France; **Tazhibayeva Sagdat**, Professor, Al-Farabi Kazakh National University, Republic of Kazakhstan; **Tlevlesova Dinara**, PhD, Kazakh Scientific Research Institute of Processing and Food Industry LLP, Republic of Kazakhstan; **Вамболь Сергій Олександрович**, д. т. н., проф., Національний технічний університет «Харківський політехнічний інститут»; **Yikmiş Seydi**, PhD, Tekirdag Namik Kemal University, Turkey; **Zhang Jin**, Associate Professor, Harbin Institute of Technology, Shenzhen, China

Економічні науки

Ab. Aziz Kamarulzaman, Professor, Multimedia University, Cyberjaya, Selangor, Malaysia; **Altae Hatem**, Professor, Cihan University of Slemani, Iraq; **Андрющенко Катерина Анатоліївна**, д. е. н., проф., ДВНЗ «Київський національний економічний університет імені Вадима Гетьмана»; **Bachev Hrabrin**, Professor, Institute of Agricultural Economics Sofia, Bulgaria; **Bernat Tomasz**, Professor, University of Szczecin, Poland; **Bostan Ionel**, Professor, Stefan cel Mare University of Suceava, Romania; **Britchenko Igor**, Professor, University of Security Management in Košice, Slovakia; **Dalei Narendra**, Associate Professor, Central University of Himachal Pradesh, Dehra Gopipur, India; **Grigorescu Adriana**, Professor, National University of Political Studies and Public Administration, Correspondent Member, Academy of Romanian Scientists, Bucharest, Romania; **Грабовський Євген Миколайович**, к. е. н., доц., Харківський національний економічний університет імені Семена Кузнеця; **Izdebski Waldemar**, Professor, University of Warsaw, Poland; **Kocziszy Gyorgy**, Professor, University of Miskolc, Hungary; **Lodhi Rab Nawaz**, Associate Professor, University of the Punjab, Lahore, Pakistan; **Лозинська Тамара Миколаївна**, д. н. держ. упр., проф., Полтавський державний аграрний університет; **Макаренко Петро Миколайович**, д. е. н., проф., Полтавський державний аграрний університет; **Македон Вячеслав Владиславович**, д. е. н., проф., Дніпровський національний університет імені Олеся Гончара; **Micera Roberto**, PhD, University of Basilicata, Italy; **Nowacki Robert**, Assistant Professor, University of Economics and Human Sciences in Warsaw, Poland; **Odularu Gbadebo Olusegun Abidemi**, Professor, Bay Atlantic University, United States; **Онищенко Світлана Петрівна**, д. е. н., проф., Одеський національний морський університет; **Отенко Ірина Павлівна**, д. е. н., проф., Харківський національний економічний університет ім. С. Кузнеця; **Pavuk Olga**, Associate Professor, Baltic International Academy, Riga, Latvia; **Перерва Петро Григорович**, д. е. н., проф., Національний технічний університет «Харківський політехнічний інститут»; **Побережна Заріна Миколаївна**, д. е. н., проф., Національний авіаційний університет, Київ; **Постан Михайло Яковлевич**, д. е. н., проф., Одеський національний морський університет; **Пушкар Олександр Іванович**, д. е. н., проф., Харківський національний економічний університет ім. Семена Кузнеця; **Писаренко Володимир Вікторович**, д. е. н., проф., Полтавський державний аграрний університет; **Seitz Juergen**, Professor, Baden-Wuerttemberg Cooperative State University Heidenheim, Germany; **Skibniewski Miroslaw**, Professor, University of Maryland, United States; **Shachmurove Yochanan**, Professor, The City College of New York, United States; **Staniewski Marcin Waldemar**, Adjunct Professor, University of Economics and Human Sciences in Warsaw, Poland; **Tiron-Tudor Adriana**, Professor, Babes-Bolyai University, Cluj-Napoca, Romania; **Захарчин Галина МIRONІВНА**, д. е. н., проф., Національний університет «Львівська політехніка»; **Жовновач Руслана Іванівна**, д. е. н., проф., Центральноукраїнський національний технічний університет

Міжнародна представленість та індексація журналу:

- ✓ Scopus
- ✓ EBSCO
- ✓ FSTA
- ✓ IDEAS
- ✓ WorldCat
- ✓ OpenAIRE
- ✓ Crossref
- ✓ ERIH PLUS
- ✓ BASE
- ✓ CNKI
- ✓ EconBiz
- ✓ EconPapers
- ✓ MIAR
- ✓ Scilit
- ✓ Neliti

Видавець

ПП "ТЕХНОЛОГІЧНИЙ ЦЕНТР"

Засновники

ПП "ТЕХНОЛОГІЧНИЙ ЦЕНТР"
Полтавський державний аграрний університет

Редакція

ТОВ "ТЕХНОЛОГІЧНИЙ ЦЕНТР ГРУП"

Видається з 2011 року

Ідентифікатор медіа в Реєстрі суб'єктів у сфері медіа R30-01128

Атестовано

Наказом Міністерства освіти і науки України
№ 612 від 07.05.2019 (Категорія Б)

Адреса редакції та видавництва

вул. Шатилова дача, 4, м. Харків, Україна, 61165
<https://tarp.net.ua/>, <https://journals.urau.ua/tarp/>

Тел.: +380 (57) 7508990

E-mail: tapr@entc.com.ua, tarp.nauka@gmail.com

Ум. друк. арк. 13,00. Обл.-вид. арк. 12,09
Формат 60×84 1/8

TECHNOLOGY AUDIT AND PRODUCTION RESERVES

No. 3/1(83), 2025

CONTENTS



MECHANICS

- 6 Determination of analytical dependencies of distributed forces in a deformable wheel – deformable surface contact zone
Volodymyr Kovbasa, Nataliia Priliepo
- 13 Development of an analytical model of the controlled movement of grain material on the bulk shelves of a loading gravity-cascade unit
Anatolii Antonets, Volodymyr Arendarenko, Oleg Ivanov, Ihor Dudnikov, Serhii Liashenko



MECHANICAL ENGINEERING TECHNOLOGY

- 20 Determination of rational conditions for the movement of transport and technological units when using technological machines with driving wheels
Mykhailo Shuliak, Andrii Chepizhnyi, Tatiana Khvorost, Serhii Sokolik, Maksym Murchych
- 28 Identification of the application features of finishing processing methods of parts with free abrasives at railway rolling stock repair enterprises
Oleksiy Romanchenko, Viktor Tkachenko, Tetiana Shumakova



METALLURGICAL TECHNOLOGY

- 36 Optimization of technological modes of cupola melting according to the criterion of maximum combustion temperature
Dmitriy Demin
- 41 Influence of the properties of secondary α -titanium casts, obtained by chamberless electroslag casting, for processing by turning
Dmytro Bilonyk, Oleksii Kapustian, Heorgii Kanashevych, Hanna Laptieva, Yevheniy Hubar, Igor Bilonyk



MATERIALS SCIENCE

- 46 Justification of the parameters of the active conical wood deformer
Viacheslav Padalka, Oleksandr Gorbenko, Olena Ivankova, Volodymyr Dudnyk, Bohdan Horiunov



ELECTRICAL ENGINEERING AND INDUSTRIAL ELECTRONICS

- 52 Determination of the inductiveness of a physical model of track coils for high-speed transport
Oleksandr Holota, Dmytro Ustymenko, Andriy Mukha, Serhiy Plaksin, Yehor Chupryna
- 58 Improvement of a microfilter prototype and its realization: chemical applications
Tetyana Baydyk, Masuma Mammadova, Graciela Velasco Herrera, Ernst Kussul



TECHNOLOGY AND SYSTEM OF POWER SUPPLY

- 64 Mathematical and graphical approaches to improve the process of saturation of flushing fluid with air in the circulation system of a drilling rig unit
Petro Molchanov, Tetiana Surzhko, Maksym Knysh, Yuliya Sribna, Vasyl Savyk, Serhii Novopysmennyi, Oleksii Debre, Yuliia Salenko, Serhii Hudz, Dmytro Zakomirnyi
- 72 Improvement of prediction of oil displacement efficiency during waterflooding due to detailing of lithological distribution
Olena Martus, Branimir Cvetkovic, Olena Mykhailovska, Andrii Yaholnyk, Anna Liashenko
- 78 Experimental specification of the nature of rock mass fragmentation by blasting of borehole charges of variable length
Danyl Titov, Dmytro Zahorsky, Yulian Hryhoriev, Serhii Balyk, Volodymyr Kozariz
- 86 Abstracts and References
- 100 Анотації



Volodymyr Kovbasa,
Nataliia Priliepo

DETERMINATION OF ANALYTICAL DEPENDENCIES OF DISTRIBUTED FORCES IN A DEFORMABLE WHEEL – DEFORMABLE SURFACE CONTACT ZONE

The object of this study is the contact interaction of two deformable bodies of inconsistent geometric shape, in particular, change in the stress-strain state of the wheel and the supporting surface. The significance of this topic arises from growing demands for vehicle mobility in difficult terrains, the necessity of minimizing environmental impact, and the need to optimize the design of mobile machinery components. A major challenge lies in developing a suitable analytical solution to define the stress-strain state variations within the contact zone between the wheel and soil or other surfaces.

This study employs an approach grounded in the fundamental principles of mathematical physics applied to elasticity theory problems. This enabled the derivation of analytical equations that describe the absolute deformations of both the surface and the wheel (tire), along with the contact pressure distribution. The pressure distribution within the contact zone was determined using the properties of surface integrals of the second kind. Concentrated forces, when related to the contact area, were equated to the integral value of this surface integral. The values of these distributed forces were then incorporated into the transformed Boussinesq and Cerruti potential equations.

The resulting analytical relationships can be utilized to determine the relative deformations of the contacting bodies and the stress distribution within them. Crucially, these relationships also serve as a basis for deriving equations that define the contact zone boundaries and the rolling resistance coefficient for deformable bodies. These derived relationships are general and presented in a form applicable to loads on both driving and passive (driven) wheels.

This proposed model offers substantially improved analytical accuracy over existing empirical methods. Moreover, these analytical dependencies help circumvent the computationally intensive calculations typically required by FEM (Finite Element Method) or DEM (Discrete Element Method) simulations for every unique loading scenario and material property set.

Keywords: deformable wheel, deformable surface, soil compaction, contact surface, contact zone.

Received: 01.03.2025

Received in revised form: 18.04.2025

Accepted: 09.05.2025

Published: 19.05.2025

© The Author(s) 2025

This is an open access article
under the Creative Commons CC BY license
<https://creativecommons.org/licenses/by/4.0/>

How to cite

Kovbasa, V., Priliepo, N. (2025). Determination of analytical dependencies of distributed forces in a deformable wheel – deformable surface contact zone. *Technology Audit and Production Reserves*, 3 (1 (83)), 6–12. <https://doi.org/10.15587/2706-5448.2025.329471>

1. Introduction

When solving problems related to the machines and wheels' interaction with soil, methods of continuum mechanics can be used under the assumption that the soil is formalized as a quasi-continuous deformable medium. In this case, applying physical equations for stresses and deformations or deformation rates is necessary. Such relationships can manifest themselves in elastic, viscous, or plastic manifestations. Formalizing these manifestations is described by the equations of elasticity, viscosity, plasticity, or their joint expression. Such equations, especially considering several indications of the solid properties, are essentially nonlinear, and their solution is associated with difficulties.

Accordingly, it is essential to identify the fundamental properties and proceed to simplified equations describing the relationship between stresses and deformations (or strain rates). In any case, the basic equations defining the relationship between stress and strain (or strain rate) must be included in the basic equations of dynamics (or statics) for a continuous medium. This inherently allows for the emergence of significant nonlinearities in specific soil properties, often expressed in the form of third-order hyperbolic partial differential equations.

Thus, a thorough investigation of the constitutive equations describing the stress-strain (or strain rate) relationship is required to capture the most influential effects of soil behavior. In this framework, the soil is modelled as a quasi-continuous medium exhibiting elastic, viscous, and plastic characteristics. This approach was previously implemented in different researchers' works [1, 2].

This study focuses on the analytical investigation of the contact interaction between a deformable wheel (tire) and a deformable surface within the bounds of the elasticity theory. The study aims to determine their absolute deformations, serving as essential prerequisites for defining the contact zone boundaries and the rolling resistance coefficient.

Some researchers solve similar problems by representing the tire as an absolutely rigid body, which significantly simplifies the solution, but in this case, the results of experimental studies are significantly different [3].

While analytical methods are available for solving contact problems within the elastic regime, they often neglect pertinent acting forces and incorporate simplifications that can substantially diminish their predictive accuracy [4, 5]. Known methods for solving such problems are deeply analyzed in the publication [6].

Consequently, recent research has increasingly favored numerical solutions, particularly those employing the Finite Element Method (FEM)

and the Discrete Element Method (DEM), over these traditional analytical techniques for modeling such interactions. Nevertheless, a primary limitation of these numerical approaches is their inability to yield general analytical solutions, as they typically provide results specific to the parameters and geometry of the modeled scenario [7, 8].

Considering the increasing requirements for the trafficability of machinery under actual operating conditions, the need to reduce the negative environmental impact, and the need for optimization of the designs of machine propulsion elements, solving the problem of investigating the changes in the stress-strain state of the supporting surface (soil) and the wheel (tire) in their contact zone is highly relevant.

Contact problems involving deformable bodies with deformable surfaces of non-conformal geometric shapes in the contact zone are among the most complex issues in contact mechanics interaction. Furthermore, only analytical methods for solving such problems allow for the determination of rational geometric dimensions and parameters of the deformable wheel for specific loads and mechanical properties of the supporting surface [9, 10].

Thus, the aim of research is to reduce the detrimental effect of wheeled propulsion systems on the supporting surface and to increase the energy efficiency of these propulsion systems by developing analytical methods for determining the parameters of contact mechanics interaction between a deformable wheel and a deformable surface, as well as the changes in the stress-strain state of the contacting bodies.

2. Materials and Methods

A significant drawback of this approach is the lack of solution generality since the final solution describes the result corresponding to one specific set of parameters and modes of interaction of the wheel (tire) with a specific mechanical properties surface.

Previous publications showed that, as a first approximation, the interaction of an elastic wheel with an elastic half-space (soil) could be solved as a linear elastic problem with physical linearity and geometric nonlinearity [11].

During the research, analytical methods of mathematical physics were employed, specifically, the classical methods of the theory of elasticity, theoretical and analytical mechanics, mathematical analysis, and mathematical physics.

Analytical dependencies were derived to determine the effect of concentrated forces applied to the wheel axle and the torque acting on it on the distribution of forces within the contact zone of deformable bodies with non-conformal geometric shapes, particularly the deformable wheel (tire) and the deformable supporting surface.

These dependencies enabled the derivation of analytical relationships for determining the absolute deformations of the deformable wheel and the deformable surface in the contact zone. The analytical dependencies account for the weight loads on the wheel, torque, traction resistance referred to the wheel axle, pushing force (for a passive wheel), the geometric dimensions of the wheel, as well as the elastic mechanical properties of the wheel surface and the supporting surface.

The derived analytical dependencies serve as a basis for further analysis of the nature of the contact interaction. Specifically, for deriving analytical relationships for the dimensions of the contact zones, the rolling resistance coefficient for deformable bodies, changes in the stress-strain state of the wheel and the supporting surface, as well as the limit load conditions that would lead to the failure of the supporting surface or the wheel [12, 13].

Relative to empirical methodologies, analytical frameworks generally offer superior scope and accuracy in quantifying the param-

eters governing contact interactions. Furthermore, these theoretical approaches yield a more comprehensive understanding of the mechanics of contact between deformable bodies, thereby enabling the optimization of interaction parameters and operational modes.

3. Results and Discussion

In the general case of the interaction of a deformable wheel with soil, the diagram of the forces acting on the soil can be represented by the diagram (Fig. 1).

To analyze the interaction of a deformable wheel with a deformable surface, a contact problem needed to be solved. This will allow to determine the contact surface deformations, the contact zone dimensions, and the force characteristics in the contact zone.

In the general case of solving a contact problem, when distributed forces act on the surface, the following biharmonic potential functions can be used [14]:

$$\begin{aligned} F1 &= \iint px[\xi, \eta] \Omega d\xi d\eta; G1 = \iint py[\xi, \eta] \Omega d\xi d\eta; \\ H1 &= \iint pz[\xi, \eta] \Omega d\xi d\eta; \Omega = z \log[\rho + z] - \rho, \\ \rho &\rightarrow \sqrt{(x-\xi)^2 + (y-\eta)^2 + z^2}, \end{aligned} \quad (1)$$

where $px[\xi, \eta]$, $py[\xi, \eta]$, $pz[\xi, \eta]$ components of forces are distributed over the contact surface in the coordinate system x, y, z .

The following functions must also be considered:

$$\begin{aligned} F &= \frac{dF1}{dz} = \iint px[\xi, \eta] \log[\rho + z] d\xi d\eta; \\ G &= \frac{dG1}{dz} = \iint py[\xi, \eta] \log[\rho + z] d\xi d\eta; \\ H &= \frac{dH1}{dz} = \iint pz[\xi, \eta] \log[\rho + z] d\xi d\eta. \end{aligned} \quad (2)$$

In addition, it is possible to add the sums of the functions described above:

$$\begin{aligned} \psi 1 &= \frac{dF1}{dx} + \frac{dG1}{dy} + \frac{dH1}{dz} = \frac{d \iint px[\xi, \eta] \Omega d\xi d\eta}{dx} + \\ &+ \frac{d \iint py[\xi, \eta] \Omega d\xi d\eta}{dy} + \frac{d \iint pz[\xi, \eta] \Omega d\xi d\eta}{dz}; \\ \psi &= \frac{d\psi 1}{dz} = \frac{dF}{dx} + \frac{dG}{dy} + \frac{dH}{dz}; \\ \frac{d\psi 1}{dz} &= \frac{d \iint px[\xi, \eta] \log[\rho + z] d\xi d\eta}{dx} + \\ &+ \frac{d \iint py[\xi, \eta] \log[\rho + z] d\xi d\eta}{dy} + \frac{d \iint pz[\xi, \eta] \log[\rho + z] d\xi d\eta}{dz}. \end{aligned} \quad (3)$$




Fig. 1. General scheme of the contact of the deformable wheel with the deformable surface:
a – active wheel; b – passive wheel

The surface displacement in the contact zone is expressed through the introduced functions as follows [15]:

$$\begin{aligned} u &= \frac{1}{4\pi G} \left(2 \frac{dF}{dz} - \frac{dH}{dx} + 2\nu \frac{d\psi}{dx} - z \frac{d\psi}{dx} \right); \\ v &= \frac{1}{4\pi G} \left(2 \frac{dG}{dz} - \frac{dH}{dy} + 2\nu \frac{d\psi}{dy} - z \frac{d\psi}{dy} \right); \\ w &= \frac{1}{4\pi G} \left(2 \frac{dH}{dz} + (1-2\nu)\psi - z \frac{d\psi}{dz} \right), \end{aligned} \quad (4)$$

where u, v, w – displacement components in the x, y, z directions, respectively; G – modulus of elasticity of shear deformations of the surface body (material); ν – coefficient of lateral expansion (for elastic deformations – Poisson's ratio).

In expanded form, the displacement components will look like this:

$$w = \frac{1}{4\pi G} \left(\begin{aligned} &2 \frac{d \iint p_z[\xi, \eta] \log[\rho+z] d\xi d\eta}{dz} + \\ &+ (1-2\nu) \left(\frac{d \iint p_x[\xi, \eta] \log[\rho+z] d\xi d\eta}{dx} + \right. \\ &\quad \left. + \frac{d \iint p_y[\xi, \eta] \log[\rho+z] d\xi d\eta}{dy} + \frac{d \iint p_z[\xi, \eta] \log[\rho+z] d\xi d\eta}{dz} \right) - \\ &- z \left(\frac{dd \iiint p_x[\xi, \eta] \log[\rho+z] d\xi d\eta}{dz dx} + \right. \\ &\quad \left. + \frac{dd \iiint p_y[\xi, \eta] \log[\rho+z] d\xi d\eta}{dz dy} + \right. \\ &\quad \left. + \frac{dd \iiint p_z[\xi, \eta] \log[\rho+z] d\xi d\eta}{dz dz} \right) \end{aligned} \right); \quad (5)$$

$$v = \frac{1}{4\pi G} \left(\begin{aligned} &2 \frac{d \iint p_y[\xi, \eta] \log[\rho+z] d\xi d\eta}{dz} - \\ &- \frac{d \iint p_z[\xi, \eta] \log[\rho+z] d\xi d\eta}{dy} + \\ &+ 2\nu \left(\frac{dd \iiint p_x[\xi, \eta] \Omega d\xi d\eta}{dy dx} + \right. \\ &\quad \left. + \frac{dd \iiint p_y[\xi, \eta] \Omega d\xi d\eta}{dy dy} + \right. \\ &\quad \left. + \frac{dd \iiint p_z[\xi, \eta] \Omega d\xi d\eta}{dy dz} \right) - \\ &- z \left(\frac{dd \iiint p_x[\xi, \eta] \log[\rho+z] d\xi d\eta}{dy dx} + \right. \\ &\quad \left. + \frac{dd \iiint p_y[\xi, \eta] \log[\rho+z] d\xi d\eta}{dy dy} + \right. \\ &\quad \left. + \frac{dd \iiint p_z[\xi, \eta] \log[\rho+z] d\xi d\eta}{dy dz} \right) \end{aligned} \right); \quad (6)$$

$$u = \frac{1}{4\pi G} \left(\begin{aligned} &2 \frac{d \iint p_x[\xi, \eta] \log[\rho+z] d\xi d\eta}{dz} - \\ &- \frac{d \iint p_z[\xi, \eta] \log[\rho+z] d\xi d\eta}{dx} + \\ &+ 2\nu \left(\frac{dd \iiint p_x[\xi, \eta] \Omega d\xi d\eta}{dx dx} + \right. \\ &\quad \left. + \frac{dd \iiint p_y[\xi, \eta] \Omega d\xi d\eta}{dx dy} + \right. \\ &\quad \left. + \frac{dd \iiint p_z[\xi, \eta] \Omega d\xi d\eta}{dx dz} \right) - \\ &- z \left(\frac{dd \iiint p_x[\xi, \eta] \log[\rho+z] d\xi d\eta}{dx dx} + \right. \\ &\quad \left. + \frac{dd \iiint p_y[\xi, \eta] \log[\rho+z] d\xi d\eta}{dx dy} + \right. \\ &\quad \left. + \frac{dd \iiint p_z[\xi, \eta] \log[\rho+z] d\xi d\eta}{dx dz} \right) \end{aligned} \right). \quad (7)$$

The differentials included in the equations (5)–(7) will look like:

$$\begin{aligned} dz &= \partial_z \left(\frac{\log[\rho+z]}{\rho} \rightarrow \sqrt{((x-\xi)^2 + (y-\eta)^2 + z^2)} \right); dz = \frac{1}{\rho}; \\ dx &= \partial_x \left(\frac{\log[\rho+z]}{\rho} \rightarrow \sqrt{((x-\xi)^2 + (y-\eta)^2 + z^2)} \right); dx = \frac{x-\xi}{(z+\rho)\rho}; \\ dy &= \partial_y \left(\frac{\log[\rho+z]}{\rho} \rightarrow \sqrt{((x-\xi)^2 + (y-\eta)^2 + z^2)} \right); dy = \frac{y-\eta}{(z+\rho)\rho}; \\ &z(x-\xi)^2 \rho - 2z(x-\xi)^2 \rho^{3/2} + z\rho^3 + \rho^4 + \\ &+ \left(z^2(x-\xi)^2 + 2z(x-\xi)^2 \rho - \right. \\ &\quad \left. - (z^2 + (x-\xi)^2) \rho^2 + \rho^4 \right) \log[z+\rho] \\ dxx &= - \frac{\rho^3(z+\rho)^2}{\rho^3(z+\rho)^2}; \dots dzz = \dots \end{aligned} \quad (8)$$

Following the last expression, the second differentials have the fourth order of smallness and can be neglected. Then, the equations for the displacements will have the following form:

$$\begin{aligned} w &= \frac{1}{4\pi G} \left(\begin{aligned} &2 \iint p_z[\xi, \eta] \frac{1}{\rho} d\xi d\eta + (1-2\nu) \times \\ &\times \left(\iint p_x[\xi, \eta] \frac{x-\xi}{(z+\rho)\rho} d\xi d\eta + \right. \\ &\quad \left. + \iint p_y[\xi, \eta] \frac{y-\eta}{(z+\rho)\rho} d\xi d\eta + \right. \\ &\quad \left. + \iint p_z[\xi, \eta] \frac{1}{\rho} d\xi d\eta \right) \end{aligned} \right); \\ v &= \frac{1}{4\pi G} \left(2 \iint p_y[\xi, \eta] \frac{1}{\rho} d\xi d\eta - \iint p_z[\xi, \eta] \frac{y-\eta}{(z+\rho)\rho} d\xi d\eta \right); \\ u &\rightarrow \frac{1}{4\pi G} \left(2 \iint p_x[\xi, \eta] \frac{1}{\rho} d\xi d\eta - \iint p_z[\xi, \eta] \frac{x-\xi}{(z+\rho)\rho} d\xi d\eta \right). \end{aligned} \quad (9)$$

In the absence of lateral forces $p_y[\xi, \eta] = 0$, the equations will take a simpler form:

$$\begin{aligned}
w &= -\frac{1}{4G\pi} \iint \frac{(-1+2\nu)(x-\xi)px + (-3+2\nu)(z+\rho)pz}{\rho(z+\rho)} d\xi d\eta; \\
u &= \frac{1}{4G\pi} \left(2 \iint px \frac{1}{\rho} d\xi d\eta - \iint pz \frac{x-\xi}{(z+\rho)\rho} d\xi d\eta \right), \\
\rho &= \sqrt{((x-\xi)^2 + (y-\eta)^2 + z^2)}.
\end{aligned} \quad (10)$$

Thus, to solve the problem of finding the absolute deformations of the wheel surfaces and the supporting surface, it is necessary to determine the components of the forces distributed over the surface.

The surface equation in the contact zone can be represented by functions in implicit form for the wheel and the surface:

$$\begin{aligned}
fn &= \zeta n - h + \frac{l^2 \xi^2}{r} + \frac{k^2 \eta^2}{r}; \\
fk &= \zeta k - hk + \frac{l^2 \xi^2}{r} + \frac{k^2 \eta^2}{r},
\end{aligned} \quad (11)$$

where ξ, η, ζ *idem* x, y, z – coordinates of the wheel surface and the support surface in the contact zone; r – wheel radius; h – residual deformation of the support surface; hk – residual deformation of the wheel surface; l, k – deviation coefficients of the contact surface from spherical form (sphericity).

In explicit form, it will look like this (Fig. 2):

$$\begin{aligned}
\zeta n &= h - \frac{l^2 \xi^2}{r} - \frac{k^2 \eta^2}{r}; \\
\zeta k &= hk - \frac{l^2 \xi^2}{r} - \frac{k^2 \eta^2}{r}.
\end{aligned} \quad (12)$$

Concentrated forces act on the support surface from the *wheel side*. Moreover, they are balanced by the reactions of the support surface.




Fig. 2. View of the contact surface: *a* – contact surface with a larger length; *b* – contact surface with a smaller length

In this case, a flat formulation of the problem can be considered. In this case, the projections of forces will act on the vertical axis Oz and the horizontal axis Ox . The following forces from the side of the wheel act in the projection on the horizontal axis Ox :

- Horizontal driving component along the axis Ox . It acts on the entire length of the contact zone $\{a1; a\}$

$$F_{mk} = M_c / (r - h_k), \quad (13)$$

where M_c – the torque on the drive wheel axis; r – wheel radius; h_k – residual deformation of the wheel.

- Traction resistance which is applied to the wheel axis and transmitted to the contact zone. It acts on the section $\{a1; a\} : F_T$.
- Horizontal component of rolling resistance. This force acts on the section $\{a1; a\}$ and will be defined in a separate section.
- Horizontal component of friction forces acting on the section $\{a1; a\}$

$$F_{fk} = G \cdot f_t = m \cdot g \cdot f_t, \quad (14)$$

where f_t – friction coefficient; m – mass reduced to the wheel. The signs of friction forces have the following operator: "+" – active wheel, "-" – passive wheel.

- Vertical gravity component (acting on the section $\{a1; a\}$)

$$G_k = -m \cdot g; \quad (15)$$

for a wheel $\{a; a1\} - > "-";$ for a support $\{a; a1\} - > "+"$.

- Vertical torque driving force component (acting on the section $\{0; a\}$)

$$F_{ck} = M_c / ((a+0)/2); \quad (16)$$

for a wheel on the section $\{0; a\} - "-"; \{a1; 0\} - 0;$ for a support $\{0; a\} - "+"; \{a1; 0\} - 0$.

- Vertical traction component (acting on the section $\{a1; 0\}$)

$$F_{tk} = F_T ((a+1)/2) / (r - h_k); \quad (17)$$

for a wheel on the section $\{0; a\} - "-"; \{0; a1\} - "+";$ for a support $\{0; a\} - "-"; \{0; a1\} - "+";$

- The vertical pushing force component for a passive wheel (acting on the section $\{0; a\}$)

$$F_{zik} = F_t ((a+0)/2) / (r - h_k); \quad (18)$$

for a wheel $\{0; a\} - "+"; \{0; a1\} - 0;$ for a support $\{0; a\} - "+"; \{0; a1\} - 0$.

- Vertical rolling resistance (acting on the section $\{a1; a\}$)

$$M_{fmk} = F_{mk} \cdot \xi_c, \quad (19)$$

where ξ_c – geometric center (in the direction of the Ox axis ($o\xi$)) of applied sum of vertical loads distributed over the contact patch.

The concentrated forces for the *support surface* are similar to those given above, but differ in the operators mentioned above.

Considering the characteristics of the surface integral of the second kind, it is possible to formulate an equation to determine the distribution of forces over the contact surface:

$$\begin{aligned}
\partial_{\xi} \partial_{\eta} \sum_s \frac{Fn}{s} &= \partial_{\xi} \partial_{\eta} \iint_s F \xi \eta n \sqrt{1 + (\partial_{\xi} fn)^2 + (\partial_{\eta} fn)^2} d\eta d\xi; \\
\partial_{\xi} \partial_{\eta} \sum_s \frac{Fk}{s} &\rightarrow \partial_{\xi} \partial_{\eta} \iint_s F \xi \eta k \sqrt{1 + (\partial_{\xi} fk)^2 + (\partial_{\eta} fk)^2} d\eta d\xi,
\end{aligned} \quad (20)$$

where s – contact zone area.

From the last equations, after differentiation, the equations for determining the forces distributed over the contact surface can be obtained:

$$\begin{aligned}\frac{\sum F_n}{s} &= F\xi\eta n\sqrt{1+(\partial_\xi\zeta n)^2+(\partial_\eta\zeta n)^2}; \\ \frac{\sum F_k}{s} &= F\xi\eta k\sqrt{1+(\partial_\xi\zeta k)^2+(\partial_\eta\zeta k)^2}.\end{aligned}\quad (21)$$

$$\begin{aligned}dfk &= \frac{d^2}{d\xi d\eta}\sqrt{1+(\partial_\xi\zeta k)^2+(\partial_\eta\zeta k)^2} = \sqrt{\frac{r^2+4k^4\eta^2+4l^4\xi^2}{r^2}}; \\ dfn &= \frac{d^2}{d\xi d\eta}\sqrt{1+(\partial_\xi\zeta n)^2+(\partial_\eta\zeta n)^2} = \sqrt{\frac{r^2+4k^4\eta^2+4l^4\xi^2}{r^2}}.\end{aligned}\quad (22)$$

Considering the transcendence in the last equations, which will cause difficulties in their integration, they can be expanded in a Maclaurin series

$$\begin{aligned}ndf &= \\ &= \text{Normal}\left[\text{Series}\left[\left(\frac{1}{\sqrt{\frac{r^2+4k^4\eta^2+4l^4\xi^2}{r^2}}}\right), \{\xi, 0, 2\}, \{\eta, 0, 2\}\right]\right] = \\ &= 1 - \frac{2\xi^2}{r^2} - \frac{2k^4\eta^2(r^2-6\xi^2)}{r^4}.\end{aligned}\quad (23)$$

The coincidence of the real function and its expansion in a series within the length of the possible contact zone is evidenced by the graphs in Fig. 3.




Fig. 3. Graphs of the differential of a function and its expansion in a Maclaurin series

The equation for the horizontal component of the distributed force on the wheel will look like

$$\frac{F_{ik} + F_{fk} + F_t - F_r}{(a-a1)(b-b1)} = F_{sk} ndfk, \quad (24)$$

where F_{sk} – the horizontal projection of forces distributed over the wheel contact zone. From this equation, it is possible to obtain

$$F_{sk} = \frac{F_t - F_r + f_{igm} + \frac{M_c}{h_k - r}}{(a-a1)(b-b1)} \left(1 - \frac{2\xi^2}{r^2} - \frac{2k^4\eta^2(r^2-6\xi^2)}{r^4} \right). \quad (25)$$

For the vertical component, as described above, the force components are distributed over the sections $\{a1;0\}, \{0;a\}$, which means the following equation can be written

$$\begin{aligned}\frac{-G}{(a-a1)(b-b1)} + \frac{-F_{zk}}{(0-a1)(b-b1)} + \\ + \frac{-F_{rk}}{(0-a1)(b-b1)} + \frac{-F_{tz}}{(a-0)(b-b1)} = F_{zk} ndfk.\end{aligned}\quad (26)$$

Hence, the distributed vertical component of the forces acting on the wheel can be expressed as follows

$$F_{zk} = \frac{-F_{rk} - gm - \frac{M_c}{a} + \frac{aF_t}{h_k - r}}{(a-a1)(b-b1)} \left(1 - \frac{2\xi^2}{r^2} - \frac{2k^4\eta^2(r^2-6\xi^2)}{r^4} \right). \quad (27)$$

Similarly, for forces distributed over the surface, it can be expressed like this:

$$\begin{aligned}F_{zn} &= F_{znn} \left(1 - \frac{2l^4\xi^2}{r^2} - \frac{2k^4\eta^2(r^2-2l^4\xi^2)}{r^4} \right), \\ F_{zn} &= \frac{F_t - F_r + \frac{M_c + f_t gm(h-r)}{h-r}}{(a-a1)(b-b1)};\end{aligned}\quad (28)$$

$$\begin{aligned}F_{zn} &= F_{znn} \left(1 - \frac{2l^4\xi^2}{r^2} - \frac{2k^4\eta^2(r^2-2l^4\xi^2)}{r^4} \right), \\ F_{znn} &= \frac{a1^2(F_t + F_r) + a1^2 gm(h-r) + 2M_c(-h+r)}{a(a-a1)a1(b-b1)(-h+r)}.\end{aligned}\quad (29)$$

The graphical representation of these forces distributions is presented in Fig. 4.

Fig. 4 illustrates the distribution patterns of the horizontal F_{sk}, F_{zn} and vertical F_{zk}, F_{zn} components of the distributed forces on the wheel and the surface, respectively. These patterns indicate that the maximum force distribution occurs closer to the center of the axle, but with a slight shift in the direction of wheel rolling, which correlates well with the results of other researchers.

The obtained results enable the prediction of force distribution and stress-strain state changes within the contact zone between the wheel and the supporting surface. This provides a foundation for developing analytical dependencies to determine the contact zone boundaries and the rolling resistance coefficient for interactions between deformable bodies.

It is important to note that these solutions assume linear elasticity and may not be strictly exact, particularly as real-world materials like soil often exhibit elastic-viscoplastic behavior. Nevertheless, the elastic formulation remains valuable for understanding the fundamental nature of the wheel-surface interaction.

This analytical approach facilitates predicting the stress-strain state evolution in the contacting bodies. The analysis phase allows to determine how various forces acting on the wheel influence the interaction and how these forces are distributed within the contact zone. By employing biharmonic potential functions, expressions are derived to determine the absolute deformations at the contact zone between a deformable wheel and a deformable surface.

The applicability of this method is confined to conditions of material continuity and elastic deformation. It precludes the analysis of contact interactions once plastic deformation or material discontinuity occurs. However, the derived analytical dependencies can identify regions susceptible to plastic deformation and material discontinuity.

These analytical expressions are pivotal for deriving dependencies that define contact boundaries and rolling resistance. Furthermore, these relationships can be employed to optimize wheel geometry aimed at minimizing soil compaction and enhancing its traction characteristics.

Future research directions can be aimed at studying the sliding (or slipping) conditions at the wheel-support surface contact zone, intending to improve the operational efficiency of the wheeled system.




Fig. 4. Graphs depicting the distribution of forces over the contact interface between the wheel and the supporting surface: *a, b* – patterns of the horizontal components F_{xk} , F_{xn} ; *c, d* – patterns of the vertical components F_{zk} , F_{zn}

4. Conclusions

Therefore, the equations of biharmonic potential functions for determining absolute deformations, in conjunction with the equations for forces distributed over the contact surface, yield a complex solution for the force distribution across the contact interface between the wheel (tire) and the supporting surface, incorporating the influence of concentrated forces acting on the wheel.

In this case, two possible variants of wheel rolling should be considered:

- on an active wheel, act the following forces and moments: M_c – torque on the drive wheel axis, the vertical component of gravity – $G_k = -m \cdot g$, traction resistance – F_r , i. e. the force expended on the traction of the towed vehicles, F_m – wheel rolling resistance, the horizontal component of friction forces – F_{fk} ;
- on a passive wheel act the following forces and moments: M_c – torque on the drive wheel axis, the vertical component of gravity – $G_k = -m \cdot g$, F_i – pushing force applied to the wheel axis, F_m – wheel rolling resistance, the horizontal component of friction forces – F_{fk} .

The obtained distributed force components are a basis for determining the absolute and relative deformations of the interacting wheel and supporting surface. They also allow to determine the stress distributions within both bodies and the characteristics of the contact patch dimensions, as well as the rolling resistance of the deformable wheel on the deformable surface.

The calculations mentioned above have yielded analytical dependencies for determining the absolute deformations of contacting bodies – specifically, the wheel (tire) and the deformable surface. These dependencies are functions of the bodies' mechanical properties (Young's modulus, Poisson's ratio) and the applied loads, applicable to both driving and driven wheels. This stems from the inherent features of the

proposed contact problem-solving method, particularly the generality of its solution, which facilitates resolving contact tasks through analytical means. Based on the loads and material properties, these methods enable the selection of rational parameters for the deformable wheel, aiming to minimize excessive soil deformation and improve the wheel's tractive performance.

Employing the proposed analytical methods for contact interaction analysis eliminates the need for extensive computations typically required to achieve similar results via other means. Analytical solutions often surpass empirical methods in generality and accuracy for determining contact interaction parameters. They also enable a more complete characterization of contact mechanics in deformable bodies, facilitating the optimization of relevant parameters and interaction modes. Furthermore, unlike many computational techniques, these analytical solutions enable direct outcome prediction without resorting to time-consuming iterative procedures involving various load values and material properties of the contacting bodies.

In addition, the proposed model demonstrates this superiority by significantly increasing the accuracy of the analysis compared to empirical methods.

Conflicts of interest

The authors declare that they have no conflicts of interest in relation to the current research, including financial, personal, authorship, or any other, that could affect the research, as well as the results reported in this paper.

Financing

The research was conducted without financial support.

Data availability

All data are available, either in numerical or graphical form, in the main text of the manuscript.

Use of artificial intelligence

The authors confirm that they did not use artificial intelligence technologies when creating the current work.

References

1. Kushnarov, A. S., Kochev, V. I. (1989). *Mekhaniko-tehnologicheskie osnovy obrabotki pochvy*. Kyiv: Urozhai, 144.
2. Kovbasa, V. P. (2006). *Mekhaniko-tehnologichne obgruntuvannia optymizatsii robochykh orhaniv z gruntom*. [Doctoral dissertation; Natsionalnyi universytet bioresursiv i pryrodokorystuvannia Ukrainy]. Available at: <https://uacademic.info/ua/document/0506U000111#>!
3. Koolen, A. J., Kuipers, H. (1983). *Agricultural Soil Mechanics*. Berlin: Springer-Verlag Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-69010-5>
4. Swamy, V. S., Pandit, R., Yerro, A., Sandu, C., Rizzo, D. M., Sebeck, K., Gorsich, D. (2023). Review of modeling and validation techniques for tire-deformable soil interactions. *Journal of Terramechanics*, 109, 73–92. <https://doi.org/10.1016/j.jterra.2023.05.007>
5. Yang, W., Tiecheng, S., Yongjie, L., Chundi, S. (2016). Prediction for Tire – Pavement Contact Stress under Steady – State Conditions based on 3D Finite Element Method. *Journal of Engineering Science and Technology Review*, 9 (4), 17–25. <https://doi.org/10.25103/jestr.094.04>
6. Xiao, W., Zhang, Y. (2016). Design of manned lunar rover wheels and improvement in soil mechanics formulas for elastic wheels in consideration of deformation. *Journal of Terramechanics*, 65, 61–71. <https://doi.org/10.1016/j.jterra.2016.03.004>
7. Guthrie, A. G., Botha, T. R., Els, P. S. (2017). 3D contact patch measurement inside rolling tyres. *Journal of Terramechanics*, 69, 13–21. <https://doi.org/10.1016/j.jterra.2016.09.004>
8. Yamashita, H., Jayakumar, P., Alsaleh, M., Sugiyama, H. (2017). Physics-Based Deformable Tire–Soil Interaction Model for Off-Road Mobility Simulation and Experimental Validation. *Journal of Computational and Nonlinear Dynamics*, 13 (2). <https://doi.org/10.1115/1.4037994>
9. Bekker, M. G. (1969). *Introduction to Terrain-Vehicle Systems*. Ann Arbor: University of Michigan Press.
10. Pacejka, H. B. (2012). *Tire and Vehicle Dynamics*. Butterworth-Heinemann. <https://doi.org/10.1016/C2010-0-68548-8>
11. Kovbasa, V. P., Solomka, A. V., Spirin, A. V., Kucheruk, V. Yu., Karabekova, D. Zh., Khassenov, A. K. (2020). Theoretical determination of the distribution of forces and the size of the boundaries of the contact in the interaction of the deformable drive wheel with the soil. *Bulletin of the Karaganda University "Physics Series"*, 99 (3), 62–72. <https://doi.org/10.31489/2020ph3/62-72>
12. Johnson, K. L. (1985). *Contact Mechanics*. London: Cambridge University Press. <https://doi.org/10.1017/cbo9781139171731>
13. Wong, J. Y. (2022). *Theory of Ground Vehicles*. Hoboken: John Wiley & Sons. <https://doi.org/10.1002/9781119719984>
14. Johnson, W., Mellor, P. B. (1973). *Engineering plasticity*. London, New York: Van Nostrand Reinhold Co.
15. Kovbasa, V., Priliepo, N. (2024). Interactions of a Deformable Wheel with a Deformable Support Surface. *International Journal of Innovative Technology and Exploring Engineering*, 13 (9), 1–4. <https://doi.org/10.35940/ijitee.i9944.13090824>

Volodymyr Kovbasa, Doctor of Technical Sciences, Professor, Department of Mechanical and Electrical Engineering, Poltava State Agrarian University, Poltava, Ukraine, ORCID: <https://orcid.org/0000-0003-4574-5826>

✉ **Nataliia Priliepo**, Department of Mechanical and Electrical Engineering, Poltava State Agrarian University, Poltava, Ukraine, ORCID: <https://orcid.org/0000-0002-4182-7405>, e-mail: nataliia.pryliepo@pdau.edu.ua

✉ Corresponding author