

## Application of optimal planning methodologies for investigation of echnological processes, devices and systems

Irina Kirichenko<sup>1</sup>, Nicholay Koshevoy<sup>2</sup>, Elena Kostenko<sup>2</sup>, Victoriia Rozhnova<sup>2</sup>

<sup>1</sup>Volodymyr Dahl East-Ukrainian National University,  
Molodizhny bl., 20a, Lugansk, 91034, Ukraine, e-mail: i\_kir@ukr.net

<sup>2</sup>N.E. Zhukovsky National Aerospace University, "KhAI", Kharkov, Ukraine

**Summary:** The optimal planning of experiments methodology by cost and time-consuming expenses has been developed. Hardware and software have been proposed for its implementation. The developed methodology has been tested in the investigation of a number of processes, devices and systems.

**Key words:** methodology, cost, time, optimal experiment plan, software and hardware.

### INTRODUCTION

The problem of obtaining mathematical models appears in solving problems of optimization and control of various objects. At that, naturally, researchers aspire to develop these experimental models at minimal cost and time expenses. For this purpose, the optimal planning of experiments methodology by cost and time-consuming expenses has been worked out [2, 3, 9, 10, 15, 20].

### MATERIALS AND RESEARCH RESULTS

The developed methodology includes a complex of methods for experimental plans, software and hardware optimization and their implementation (fig. 1).

The complex of methods allows to synthesize experiment plans that are optimal by cost and time-consuming expenses. Moreover, at that the method of iterative optimal by cost and time-consuming expenses experiment planning [1,

11-14, 17] is appropriate for objects with a number of significant factors  $k \leq 4$ , the method of sequential optimal by cost and time-consuming expenses experiment planning [4, 5, 8, 16] - for objects with the number of factors  $k > 4$  and branch and bound method [6, 21, 22] and the method of successive approximations [7] should be used for  $k > 3$ . Optimal by cost and time-consuming expenses experiment planning method [18] is used to study dynamic objects. Which is a modification of the iterative experiment planning for static objects.

To implement the proposed methods, a complex of software systems have been developed, which are granted certificates of registration of product copyright at the State Department of Intellectual Property of Ukraine.

To implement the optimal plans on the research object which have been obtained by software, hardware has been worked out, which is protected by patents of Ukraine.

Fig.2 shows the list of the developed software and hardware for the synthesis and implementation of optimal by cost and time-consuming expenses experiment plans. The following methods are used: analysis of the permutations rows of the matrix of experiment planning, random search [23], branches and bounds [24], successive approximation [19, 25] to optimize the experiment plans by the specified criteria.




Fig. 1. Methodology for optimal planning of experiments




Fig. 2. Software and hardware of optimal experiment planning methodology

Table. Results of investigating software on a number of real and simulated devices

Object of study	Plan of the experiment	Number of factors K and experiments N	Optimization method	Gain in cost or time (times)	
1	2	3	4	5	
TECHNOLOGICAL PROCESSES	Calibration process of hydrometers [Koshevoy, Kostenko, Zabolotny, Pavlik, Tsehovskyy, Knish 2010]	Complite factor experiment (CFE)	K=2; N=4	Analysis of permutations	cost 1,14
	Process of electroplating copper plating of printed circuit boards [Koshevoy, Kostenko, Zabolotny, Pavlik, Tsehovskyy, Knish, 2010]	CFE	K=4; N=16	Analysis of permutations	cost 1,5
				Random search	cost 1,9
	Process of measuring the metallization area of printed circuit boards [Koshevoy, Kostenko, Zabolotny, Pavlik, Tsehovskyy, Knish, 2010]	Fractional factor experiment (FFE)	K=4; N=8	Analysis of permutations	cost 1,5
	Production of semiconductor devices [Koshevoy, Kostenko 2009]: process of ultrasonic cutting of plates; fusion crystal process; etching process	CFE	K=3; N=8	Analysis of permutations	cost 1,6
		FFE	K=4; N=8	Analysis of permutations	cost 1,4
		Rotatable central composite planning (RCCP)	K=2; N=13	Analysis of permutations	cost 1,77
				Branch and bound: algorithm 1;	cost 2,54
	algorithm 2	cost 3,06			
	Process of forming the body cutters [Koshevoy, Kostenko 2009]	FFE	K=5; N=8	Analysis of permutations	cost 1,5
	Process of manufacture of the reinforced parts [Koshevoy, Kostenko, Gordienko, Syroklyn 2011]	FFE	K=4; N=8	Analysis of permutations	cost 2,21
	Process of testing electronic devices [Koshevoy, Kostenko, Gordienko, Syroklyn 2011] stage 1 stage 2	Plakett-Berman	K=7; N=8	Analysis of permutations	cost 3,37
					cost 3,24
	Work of the radar station operator [Koshevoy, Kostenko 2010]; modes of operation; resistant performance	RCCP	K=5; N=32	Branch and bound: algorithm 1;	time 3,8
				algorithm 2	time 3,95
		FFE	K=5; N=16	Analysis of permutations Random search	time 1,64 time 7,40
Work of the radioelectronic station operator [Koshevoy, Kostenko 2010]	RCCP	K=5; N=32	Branch and bound: algorithm 1;	time 1,67	
			algorithm 2	time 1,73	

	1	2	3	4	5		
	Machines service with numerical program control [Koshevoy, Kostenko 2010]; modes of operation;	RCCP	K=5; N=32	Branch and bound:			
	productivity of the plant site			CFE	K=4; N=16	algorithm 1;	time 1,36
						algorithm 2	time 1,38
				Analysis of permutations	time 1,17		
				Random search	time 1,00		
	Process of deep plasma-chemical etching [Koshevoy, Burleev, Kostenko 2010]	CFE	K=3; N=8	Branch and bound $T_{im}=150$ min	cost 1,28		
	The process of producing porous materials [Koshevoy, Chuiko, Kostenko 2011]	Orthogonal central composite planning (OCCP)	K=4; N=25	Branch and bound	Cost 5,47		
					Time 7,33		
	The process of preparation of mince [Koshevoy, Kostenko, Rozhnova 2010]	CFE	K=2; N=4	Analysis of permutations	Cost 2,57		
	The process of making popcorn [Koshevoy, Dergachev, Burleev, Kostenko, 2011]	FFE	K=5; N=18	Successive approximation	Cost 3,36		
				Analysis of permutations	Cost 1,37		
				Random search	Cost 2,26		
D E V I C E S	Contactless gauges of direct currents [Koshevoy, Kostenko, Zabolotny, Pavlik, Tshovskyy, Knish 2010];	CFE	K=2; N=4	Analysis of permutations	Cost		
	voltage of 9 V;				1,33		
	voltage of 5 V				1,34		
	Eddy current gauges dielectric coatings [Koshevoy, Kostenko, Zabolotny, Pavlik, Tshovskyy, Knish, 2010]	CFE	K=4; N=16	Analysis of permutations	Cost 1,81		
					Random search	Cost 2,01	
					Iterative planning	Cost 1,78	
	Device for monitoring the quality of dielectric materials [Koshevoy, Kostenko, Zabolotny, Pavlik, Tshovskyy, Knish 2010]	CFE	K=4; N=16	Analysis of permutations	Cost 1,2		
				Random search	Cost 1,0		
				Iterative planning	Cost 2,13		
				Branch and bound	Cost 1,44		
	Photoelectric transducers of angular displacements: placement of optical fibers [Koshevoy, Burleev O.L., Kostenko, 2010];	CFE	K=3; N=8	Analysis of permutations	Cost 1,3		
		output parameters [Koshevoy, Kostenko, Zabolotny, Pavlik, Tshovskyy, Knish 2010]	OCCP	K=3; N=15	Branch and bound	Cost 1,67	
Moisture meters of bulk materials [Koshevoy, Kostenko, Zabolotny, Pavlik, Tshovskyy, Knish 2010]	CFE	K=3; N=8	Analysis of permutations	Cost 4,65			

1	2	3	4	5
Semiconductor thermo-regulator [Koshevoy Kostenko, 2009]	CFE	K=4; N=16	Analysis of permutations	Cost 1,5
			Random search	Cost 2,48
	Addition to RCCP	K=4; N=15	Analysis of permutations	Cost 1,99
			Random search	Cost 2,31
	RCCP	K=4; N=31	Branch and bound: algorithm 1;	Cost 3,05
			algorithm 2	Cost 4,19
Weighing system [Koshevoy, Kostenko, Zabolotny, Pavlik., Tsehovskyy, Knish 2010]	CFE	K=3; N=8	Analysis of permutations	Cost 1,61
System for determining fuel consumption of internal combustion engine [Koshevoy, Kostenko, Zabolotny, Pavlik., Tsehovskyy, Knish 2010]	CFE	K=2; N=4	Analysis of permutations	Cost 1,2-1,3
Ship power plant unit [Koshevoy, Kostenko 2009]	CFE	K=3; N=8	Analysis of permutations	Cost 1,5
Complex of technical systems [Koshevoy, Kostenko, 2010]: maintenance;  shutdown system	RCCP	K=4; N=31	Branch and bound: algorithm 1;	Time 1,5
			algorithm 2	Time 1,55
	FFE	K=5; N=16	Analysis of permutations	Time 1,35
			Random search	Time 2,85
Tracking system [Koshevoy, Kostenko 2009]	CFE	K=3; N=8	Analysis of permutations	Cost 3,78

The developed methodology has been tested in the studying of a number of technological processes, devices and systems. In all the cases, while study the said objects cost and time-consuming expenses benefit has been gained compared with the initial plans of the experiment (table).

### CONCLUSIONS

1. A methodology by the optimal cost and time-consuming expenses of experiment planning has been developed, which improves the efficiency of experimental studies aimed at modeling and optimization of real objects.

2. Software and hardware have been developed that enable to effective by use the developed methodology of optimal planning experiments.

3. The efficiency and effectiveness of the proposed methodology have been proved by testing it on a number of technological processes, devices and systems.

### REFERENCES

1. Koshevoy N.D., Kostenko E.M., 2009.: Methodology of improvement of experimental studies. Integrated intellectual robotics and technical complex (IIRTK-2009): Proc. Reports. Second International scientific and practical Conf., May 25-28, 163-164.
2. Koshevoy N.D., Kostenko E.M., Zabolotny A.V., Pavlik A.V., Tsehovskyy M.V., Knish V.A., 2010.: Optimal planning of experiment in the study of technological processes devices and systems: a tutorial. Kh.: National. Aerospace University "Kharkov Aerospace inst-1", 161.
3. Koshevoy N.D., Kostenko E.M., 2009.: The method of iterative planning optimal on cost and

- time-consuming experiments. Scientifically practical collection. the military inst-t Kiev Nat. University named after T. Shevchenko. Vip.19, 44-48.
4. **Koshevoy N.D., Kostenko E.M., Dergachev V.A., 2009.**: Optimal method on cost and time-consuming series experiment planning. Automation: problems, ideas, solutions: Materials Intern. scientific and engineering Conf. 7-12 September 2009. Sevastopol. 21-23.
  5. **Koshevoy N., Kirichenko I., Strelets O., 2011.**: Piezo actuators injector of common rail fuel injection system. Commission of motorization and power industry in agriculture. TEKA. Volume XC Lubline. – 42-47.
  6. **Koshevoy N.D., Burleev O.L., Kostenko E.M., 2010.**: The use of branch and bound method for multivariate optimization experimental plans. Radio electronic and computer systems, №1(42). 67-70.
  7. **Koshevoy N.D., Chuiko A.S., Kostenko E.M., 2012.**: Algorithm optimization of composite plans experiment method of successive approximations. Electrical and computer systems. Kiev: Technique, № 6(82). 249-254.
  8. **Koshevoy N.D., Kostenko E.M., 2009.**: Optimal experiment planning in the study of dynamic objects. Scientifically practical collection the military inst-t Kiev Nat. University named after T. Shevchenko. № 20, 57-62.
  9. **Koshevoy N.D., Kostenko E.M., Chuiko A.S., 2010.**: Optimization algorithm composite designs of order by the branch and bound method. Mathematical modeling. № 2(23). 14-18.
  10. **Stepanov A., Rutenko V., Wojciech Przytupa, 2010.**: Problem of experiment planning in specific areas – factor space in identification of energy saving technologies parameters. Commission of motorization and power industry in agriculture. TEKA. Volume X Lubline. – 405-416.
  11. **Koshevoy N.D., Burleev O.L., Kostenko E.M., 2010.**: Optimal experiment planning with the introduction of restrictions on additional criteria. Visnik Sumy sovereign University, Vol. 2., № 3. 63-67.
  12. **Koshevoy N.D., Kostenko E.M., Chuiko A.S. 2011.**: Application of the branch and bound method for a two-parameter optimization of composite designs of order. Scientifically practical collection the military inst-t Kiev Nat. University named after T. Shevchenko. Kiev, № 32, 124-131.
  13. **Koshevoy N.D., Kostenko E.M., 2009.**: Optimal experiment planning in the study of processes in the production of semiconductor devices. Scientifically practical collection of the military inst-t Kiev Nat. University named after T. Shevchenko. – № 24. 120-126.
  14. **Koshevoy N.D., Kostenko E.M., 2009.**: Optimal experiment planning in power plants. Refrigeration equipment and technology. № 6 (122), 60-62.
  15. **Koshevoy N.D., Kostenko E.M., Gordienko V.A., Syroklyn V.P., 2011.**: Optimum planning of experiment in manufacturing the electronic equipment. Telecommunications and Radio Engineering. Vol. 70. № 8, 731-734.
  16. **Koshevoy N.D., Kostenko E.M., 2010.**: Study modes for radar system (RLS). Scientifically practical collection. the military inst-t Kiev Nat. University named after T. Shevchenko. № 26. 28-32.
  17. **Koshevoy N.D., Kostenko E.M., 2010.**: Optimal planning of experiments in servicing machines with numerical control. Bulletin of Poltava State Agrarian Academy, № 3, 155-158.
  18. **Koshevoy N.D., Burleev O.L., Kostenko E.M. 2010.**: The use of branch and bound method with the introduction of restrictions on additional criteria. Scientifically practical collection. the military inst-t Kiev Nat. University named after T. Shevchenko. № 28. 29-31.
  19. **Koshevoy N.D., Chuiko A.S., Kostenko E.M., 2011.**: Application of the branch- and bound method and consistent approach to optimize the simulation process of producing porous materials. Process optimization: a collection of research papers Sevastopol Nat. tech. University, № 3. Vip. 13. Sevastopol, 69-74.
  20. **Koshevoy N.D. Kostenko E.M., Rozhnova V.A., 2010.**: Optimal experiment planning in the study of technological processes. Automation: issues, ideas, solutions: Proceedings of the Intern. scientific. Technical Conf. 6-10 September Sevastopol, 2010. Vol.1, 24-26.
  21. **Koshevoy N.D., Dergachev V.A., Burleev O.L., Kostenko E.M., 2011.**: Optimal experiment planning in the study of technological process of making popcorn in the microwave. Mathematical modeling. № 1 (24). – 35-38.
  22. **Koshevoy N.D., Burleev O.L., Kostenko E.M., 2010.**: Optimizing the parameters of the distribution of the fiber end fiber optic converter angle in code. Bulletin of Cherkasy State Technology university. № 4. 110-112.
  23. **Zabolotny A.V., Koshevoy N.D., Kostenko E.M., Sattarov A.N., 2011.**: Experimental study of the total measurement error moisture of bulk materials. Data processing systems. Measurement uncertainty: scientific, regulatory, application and methodological aspects. Khark. Univ. Air. Force, 2011. – Vip. 1(91). – 95-98.
  24. **Koshevoy N.D., Kostenko E.M., 2009.**: Optimal scheduling of experimental studies of technical devices. Public Information and Computer Integrated Technologies: Collection of scientific works of National Aerospace University named after N.E. Zhukovsky, "KhAI". VIP. 44. 241-246.
  25. **Koshevoy N.D., Kostenko E.M., 2010.**: Optimal planning of experiments for maintenance of complex technical systems. Bulletin of Poltava State Agrarian Academy, № 2. 163-166.

